

[www.perspex](http://www.perspex.com)

[www.perspex.co.uk](http://www.perspex.co.uk)

# COLOUR SELECTOR

**PERSPEX**  
Distribution Ltd

# PICK A COLOUR, ANY COLOUR

Perspex® acrylic is synonymous with creativity and eye-catching designs from promotional displays to engineering components.

Stocking hundreds of colour variants, Perspex Distribution has been the go to company for materials for over 20 years.

The beauty of Perspex® cast acrylic is the flexibility to enjoy a multitude of colours, effects, thicknesses and finishes. No matter what colour you choose; each sheet will retain all of the exceptional quality performance characteristics of Perspex® acrylic, ensuring your designs can reach their full potential. As part of the UK manufacturing group of Perspex® Cast Acrylic, we offer unrivalled access to the UKs largest range of cast acrylic. Its versatility enables it to be bent, polished, cut, printed or illuminated to create the ideal finish.

Perspex® acrylic has been manufactured in the UK for over 85 years and this expertise includes our in-house colour experts, on hand to develop new colours and effects. Our product range not only follows technical innovation but we also track colour trends and fashions to develop new stocked colours.



Light Transmission % Based on 3mm thickness.  
T within product code denotes Constant Light Transmission.

Product information is subject to change. All colours shown are as accurate as the printing process will allow. We recommend that where an accurate colour sample is needed before placing an order for Perspex® acrylic, that you obtain a Perspex® acrylic sample. If you would like to order a sample of any of the colours shown here, you can now do this via our website at [www.perspex.co.uk](http://www.perspex.co.uk).

## BESPOKE COLOUR CREATION

Due to its unique manufacturing process, it is possible to create bespoke colours and effects in small volumes making unique projects achievable.

Many projects require a specific colour scheme, whether matching a pantone colour for a brand or looking to match a colour palette of a new range of products, versatility and variety are the key.

Our in-house colour laboratory is home to an ever growing library of colours; whatever shade you are looking for, our colour technologists are available to brand-match or create new and bespoke hues, tailored to your individual project requirements.



Image: Inplas Fabrication - Smith and Sinclair



Image: Inplas Fabrication - Eleven Australia

## PERSPEX® CLEAR, OPAL &amp; COLOUR



Colour: Clear  
Code: 000  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 0.50  
Light Transmission (%): 92

Colour: Opal  
Code: 028  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 4, 5, 6  
Light Transmission (%): 25

Colour: Opal  
Code: 030  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3-15  
Light Transmission (%): 67

Colour: Opal  
Code: 040  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3-10  
Light Transmission (%): 46

Colour: Opal  
Code: 050  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3-10  
Light Transmission (%): 36

Colour: Opal  
Code: 069  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3-15  
Light Transmission (%): 9

Colour: Opal  
Code: 1212  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): <1

Colour: Opal  
Code: 1T04  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 30

Colour: Opal  
Code: 1T67  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 21

Colour: Ivory  
Code: 133  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 29

Colour: Yellow  
Code: 229  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 19

Colour: Yellow  
Code: 260  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 19

## PERSPEX® SOLID AND TRANSLUCENT COLOURS



Colour: Yellow  
Code: 221  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 29

Colour: Yellow  
Code: 222  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 21

Colour: Orange  
Code: 363  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 4

Colour: Red  
Code: 431  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 3

Colour: Red  
Code: 433  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 2

Colour: Red  
Code: 440  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 3

Colour: Red  
Code: 4403  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 8


Colour: Red  
Code: 4415  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 6

Colour: Red  
Code: 4494  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): <1

Colour: Brown  
Code: 543  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 0

Colour: Green  
Code: 650  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 3

Colour: Green  
Code: 692  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 21




## PERSPEX® TRANSPARENT COLOURS AND TINTS



Colour: Neutral  
Code: 9T4  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 55



Colour: Neutral  
Code: 9T3  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 14



Colour: Neutral  
Code: 9T13  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5, 6, 8  
Light Transmission (%): 54



Colour: Neutral  
Code: 9T20  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5, 6, 8  
Light Transmission (%): 36



Colour: Neutral  
Code: 9T21  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 6 - 15  
Light Transmission (%): 41



Colour: Neutral  
Code: 9T56  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 6, 8, 10, 12  
Light Transmission (%): 46



Colour: Crystal Clear  
Code: S2 000  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3 - 15  
Light Transmission (%): 85



Colour: Polar White  
Code: S2 030  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3 - 15  
Light Transmission (%): 60



Colour: Citrus Yellow  
Code: S2 2T07  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 75



Colour: Lemon Sorbet  
Code: S2 2T30  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 34



Colour: Saffron Yellow  
Code: S2 2T53  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 63



Colour: Mandarin Orange  
Code: S2 3T17  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 33

## PERSPEX® FROST



Colour: Blush Pink  
Code: S2 4T46  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 45



Colour: Chilli Red  
Code: S2 4T50  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 17



Colour: Raspberry Red  
Code: S2 4T97  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 29



Colour: Sandstone Brown  
Code: S2 5T18  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 54



Colour: Earth Brown  
Code: S2 5T33  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 10



Colour: Glacier Green  
Code: S2 6T21  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5, 8, 10  
Light Transmission (%): 82



Colour: Emerald Green  
Code: S2 6T59  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 13



Colour: Lime Zest  
Code: S2 6T9A  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 42



Colour: Azure Blue  
Code: S2 7T1F  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 32



Colour: Sapphire Blue  
Code: S2 7T28  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 8



Colour: Aurora Violet  
Code: S2 7T58  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 36



Colour: Electric Blue  
Code: S2 7T69  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 64



Colour: Arctic Blue  
Code: S2 7T77  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 68



Colour: Violet Heather  
Code: S2 8T14  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 62



Colour: Perfect Plum  
Code: S2 8T15  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 20



Colour: Stone Grey  
Code: S2 9T21  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 38



Colour: Slate Grey  
Code: S2 9T23  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 13



Colour: Clear  
Code: SA 000  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5, 10  
Light Transmission (%): 91



Colour: Opal / White  
Code: SA 040  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 44



Colour: Opal  
Code: SA 050  
Dimensions (mm): 3050x2030  
Thickness (mm) 3, 5  
Light Transmission (%): 35%



Colour: Clear  
Code: PY 0000  
Dimensions(mm): 2000 x 1200  
Thickness (mm): MTO  
Light Transmission (%): 84



Colour: Moonlight White  
Code: S2 1T41  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 0



Colour: Desert Beige  
Code: S2 5268  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 0



Colour: Walnut Brown  
Code: S2 5269  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 0




Colour: Ash Grey  
Code: S2 9642  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 0



Colour: Midnight Black  
Code: S2 9221  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5, 10  
Light Transmission (%): 0



Colour: Mineral Grey  
Code: S2 9643  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 0



Colour: Black / Silver  
Code: 9CL0  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 10  
Light Transmission (%): 0





Colour: Tropical Yellow  
Code: 2T45  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 91



Colour: Caribbean Peach  
Code: 3T31  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 88



Colour: Honolulu Pink  
Code: 4T87  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 84



Colour: Lagoon Green  
Code: 6T95  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 89



Colour: Cascade Blue  
Code: 7T5D  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 86



Colour: Passion Flower Violet  
Code: 8T10  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 85



Colour: Moscow White  
Code: 1T80  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 91



Colour: Tokyo Brown  
Code: 5T48  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 84



Colour: London Grey  
Code: 9T3C  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 88




Colour: Manhattan Black  
Code: 9T4C  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 80

# YOUR LEADING SUPPLIER OF UK MANUFACTURED SUBSTRATES FOR SIGNAGE & PRINT

**PERSPEX**  
Distribution Ltd  
[www.perspex.co.uk](http://www.perspex.co.uk)

## Our UK Manufactured Products



- Perspex® Cast Acrylic
- Alupanel® Aluminium Composite
- Palight® PVC Foam
- Palsun® Polycarbonate
- Palclear® Solid PVC
- Marpet PetG




**Perspex® Cast Acrylic**  
Hundreds of colour variants available from stock.



**Alupanel Aluminium Composite**  
The only UK manufactured ACM including A-Lite for direct print.



**Palight PVC Foam**  
Premium PVC Foam with a pristine white print surface.



**Marpet-G PETg**  
UK manufactured PETg for print and fabrication.



Colour: Pearl  
Code: 1PY1  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 20



Colour: Candy  
Code: 4PY5  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 6



Colour: Caramel Gold  
Code: 5PY0  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 2



Colour: Azure  
Code: 7PY3  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 8



Colour: Platinum  
Code: 9PY2  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 10



Colour: Entrancing Green  
Code: 6SP0  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 0




Colour: Gleaming Violet  
Code: 8SP0  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 0



Colour: Shimmering Black  
Code: 9SP0  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 0



Colour: Gold  
Code: 5YY8  
Dimensions(mm): 2030 x 1270  
Thickness (mm): 3  
Light Transmission (%): 0



Colour: Silver  
Code: 9YY2  
Dimensions(mm): 2030 x 1270  
Thickness (mm): 3  
Light Transmission (%): 0

# Go Green with Perspex Distribution

**PERSPEX**  
Distribution Ltd  
[www.perspex.co.uk](http://www.perspex.co.uk)



[www.perspex.co.uk/go-green](http://www.perspex.co.uk/go-green)

Download our GO GREEN brochure and see our extensive range of recycled materials ideal for Signage, POS and general fabrication.

Working closely with our manufacturers, we have increased the availability of **recycled** products in our range.



**PERSPEX®re 100% Recycled Cast Acrylic**  
A new PERSPEX® acrylic range made from 100% recycled MMA available in 4 standard colours.



**Extruded Acrylic**  
Up to 90% recycled clear extruded acrylic ideal for POS applications made from waste acrylic.



**Alupanel Aluminium Composite**  
With over 80% recycled content. The only UK manufactured ACM.

Contact us for samples and pricing [www.perspex.co.uk/go-green](http://www.perspex.co.uk/go-green)


## PERSPEX® LED OPTIMISED



Colour: Clear  
Code: E03B  
Dimensions(mm): 2550 x 1800  
Thickness (mm): 4, 5, 6  
Light Transmission (%): 90



Colour: Clear  
Code: E06B  
Dimensions(mm): 2550 x 1800  
Thickness (mm): 4, 5, 6  
Light Transmission (%): 90



Colour: Clear  
Code: E09B  
Dimensions(mm): 2550 x 1800  
Thickness (mm): 4  
Light Transmission (%): 90

## PERSPEX® EDGE



Colour: Clear  
Code: E12B  
Dimensions(mm): 2550 x 1800  
Thickness (mm): 4  
Light Transmission (%): 90

## PERSPEX® REFLECT



Colour: Opal  
Code: 1T8A  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 2.5  
Light Transmission (%): 4

## PERSPEX® G-LUX / S-LUX



Colour: G-Lux  
Code: G005  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 4  
Light Transmission (%): 89



Colour: G-Lux  
Code: G015  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 6  
Light Transmission (%): 90



Colour: G-Lux  
Code: G025  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 6  
Light Transmission (%): 89

## PERSPEX® DIFFUSE



Colour: Opal  
Code: D2 DF60  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 2.5  
Light Transmission (%): 60



Colour: Opal  
Code: D2 DF70  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 2.5  
Light Transmission (%): 70




Colour: Opal  
Code: D2 DF80  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 2, 2.5  
Light Transmission (%): 80




Colour: Opal  
Code: D2 DF90  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 2.5  
Light Transmission (%): 90

## PERSPEX® SPECTRUM LED



Colour: Opal  
Code: 1TL1  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 36



Colour: Opal  
Code: 1TL2  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 48



Colour: Yellow  
Code: 2TL1  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 22



Colour: Yellow  
Code: 2TL2  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 30



Colour: Orange  
Code: 3TL1  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 13



Colour: Pink  
Code: 4TL1  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 8




Colour: Red  
Code: 4TL2  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 5



Colour: Red  
Code: 4TL3  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 6



Colour: Green  
Code: 6TL1  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 15



Colour: Green  
Code: 6TL2  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 13



Colour: Blue  
Code: 7TL1  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 6



Colour: Opal / White  
Code: 1T77  
Dimensions(mm): 3030 x 2030  
Thickness (mm): 10, 15, 20, 30  
Light Transmission (%): 35



Colour: Black / White  
Code: SA 9T25  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 16



Colour: Black / Multicolour  
Code: SA 9TL1  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 17




Colour: Clear  
Code: VA 004  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 4, 5  
Light Transmission (%): 92



Colour: Clear  
Code: VE 003  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 92

## PERSPEX® METALLICS

Our selection of Perspex® Metallic colours offer alternatives to metal with the fabrication benefits of cast acrylic. Please contact your local branch for stock availability.  
Standard sheet size 2030 x 1540 3mm.



ALUMINIUM 9870



ANTIQUE GOLD 9625



GOLD 9918



PEARL 9809



TITANIUM 9874



COPPER 9627

# THERE'S MORE

We stock a large range of alternative coloured materials to create stunning vibrant projects.



## ALUPANEL® ALUMINIUM COMPOSITE

Manufactured in the UK's only Aluminium Composite factory, Alupanel® provides a versatile solution for signage and display projects. Consisting of a polyethylene core and aluminium skin, this rigid substrate provides the perfect background for any print job. Alupanel® is stocked in a wide range of colours with a dual sided gloss/matt finish for versatile display options.

Alupanel colours are available in a 3mm thickness and sheet sizes 2440mm x 1200mm & 3050mm x 1500mm.

### ALUPANEL® COLOURS



ANTHRACTITE GREY 7016



BLACK 9005



BLUE 5022



BURGUNDY RED 3004



CHOCOLATE 8011



GREEN 6005



LIGHT IVORY 1015



ORANGE 2004



TRAFFIC RED 3020



SIGNAL WHITE



SILVER 9006



TRAFFIC GREEN 6024



TRAFFIC GREY 7042



ULTRAMARINE BLUE 5002




YELLOW 1023

### ALUPANEL® BRUSHED METAL



BRUSHED ALUMINIUM




BRUSHED BLACK



BRUSHED BRONZE



BRUSHED COPPER



BRUSHED GOLD



BRUSHED STEEL

### ALUPANEL® MIRROR



GOLD MIRROR



SILVER MIRROR

## PALIGHT® PVC FOAM

We stock UK manufactured Palight® PVC Foam made by Palram.

Our sheets are flat, lightweight and available in thicknesses from 1mm to 25mm.

We stock Palight® in a wide range of special designer colours, plus standard white matt or gloss finishes. All products are Class 1 fire rated and ideal for internal installations.

Palight colours are available in a 3mm or 5mm thickness and generally a 2440 x 1220 sheet size.



### PALIGHT MATT COLOURS




PALIGHT WHITE



PALIGHT GREY



PALIGHT GREEN



PALIGHT BLUE



PALIGHT YELLOW



PALIGHT RED



PALIGHT BLACK

### PALIGHT 2001 GLOSS COLOURS



PALIGHT 2001 BLACK



PALIGHT 2001 WHITE

## PLASKOLITE ACRYLIC MIRROR

Fabback coloured acrylic mirror sheet from Plaskolite.

At half the weight and five times the impact strength of plate glass mirror, acrylic mirror offers all the benefits without the associated risk of breakages. Made from extruded acrylic sheet, each mirror is protected by the industry's toughest, most durable backing.

All coloured acrylic mirror is covered by a protective laser cuttable film.

Standard sheet sizes 2440mm x 1220mm, 3mm thickness. Colour options are subject to change, please contact your local branch for availability.



FABBACK MIRROR BLUE 1000



FABBACK MIRROR BLUE 2069



FABBACK MIRROR BLUE 2424



FABBACK MIRROR BRONZE 1600



FABBACK MIRROR BRONZE 2404



FABBACK MIRROR GOLD 1300



FABBACK MIRROR GREEN 2414



FABBACK MIRROR ORANGE 1119



FABBACK MIRROR PINK 1450



FABBACK MIRROR RED 1310



FABBACK MIRROR RED 1400



FABBACK MIRROR SMOKE 1050



FABBACK MIRROR SMOKE 2064



FABBACK MIRROR YELLOW 2208



FABBACK SILVER PMMA



FABBACK MIRROR ROSE GOLD 1350



FABBACK SEE-THROUGH CLEAR





Visit [www.perspex.co.uk](http://www.perspex.co.uk) to request samples of our materials or to find our more information.

Your nearest Perspex Distribution Sales Branch:

## BLACKBURN

Email: sales.blackburn@perspex.co.uk  
Tel: 01254 272 800

## **CHELMSFORD**

Email: sales.chelmsford@perspex.co.uk  
Tel: 01245 232 800

## LEEDS

Email: sales.leeds@perspex.co.uk  
Tel: 01134 677 800

## TAMWORTH

Email: sales.tamworth@perspex.co.uk  
Tel: 01827 263 900

## WEYBRIDGE

Email: sales.weybridge@perspex.co.uk  
Tel: 01932 356 900

PERSPEX® is a registered trademark of Perspex International Ltd.