

PERSPEX



Distribution Ltd

FLEXIBLE LEDs




*High quality components
for continuity of colour*

FLEXIBLE LEDs FROM PERSPEX DISTRIBUTION

Made in Europe from high quality components, flexible LED strips are perfect for all kinds of linear lighting. Typical applications include accent lighting, shelf lighting, lightboxes, signage, POS/POP, exhibitions and much more.


Expert LED chip selection ensures batches offer continuity of colour along the entire length of the strip and installation is made easy with 3M™ double-sided adhesive tape on the reverse of the strip. Our flexible LED strip lighting is available in a variety of specifications.

View our full LED product range
at www.perspex.co.uk



NEW COMPLETE RANGE OF FLEXIBLE LED STRIP LIGHTING!

- ▶ 3528 (single die) or 5050 (triple die)
- ▶ Available in IP44, IP65 & IP68 ratings
- ▶ 30, 60 or 120 LEDs per metre
- ▶ Full colour range: Warm White, Daylight White, Cool White, Yellow, Green, Blue, Red & RGB
- ▶ Power supplies, connectors and aluminium strip profiles available
- ▶ Next day delivery



Product specification

General Information

- ▶ All strips are 12V
- ▶ All LED Chips have a 120 degree beam
- ▶ All strips available in 5m reels
- ▶ We offer Mean Well power supplies in 18W, 35W, 60W and 100W versions
- ▶ We offer RGB controllers with built-in colour and animation sequences
- ▶ We offer products in kit form with wires and connectors already attached e.g. 500 strips at 1m long with 300mm wire tails on each strip



COLOUR RANGE	PRODUCT	IP RATING	LEDS / CHIP	WIDTH	LED MODULES / METRE	BEAM ANGLE	WATTS / METRE	VOLTS
3528 SINGLE FLEXIBLE STRIP LEDES								
<input type="checkbox"/> COLD WHITE	3528 Single Die 30/MTR	IP44	1	8 mm	30	120 degrees	2.4	12v
<input type="checkbox"/> WARM WHITE	3528 Single Die 30/MTR	IP65	1	8 mm	30	120 degrees	2.4	12v
<input type="checkbox"/> BLUE	3528 Single Die 30/MTR	IP68	1	8 mm	30	120 degrees	2.4	12v
<input type="checkbox"/> RED	3528 Single Die 60/MTR	IP44	1	8 mm	60	120 degrees	4.8	12v
<input type="checkbox"/> GREEN	3528 Single Die 60/MTR	IP65	1	8 mm	60	120 degrees	4.8	12v
<input type="checkbox"/> YELLOW	3528 Single Die 60/MTR	IP68	1	8 mm	60	120 degrees	4.8	12v
	3528 Single Die 120/MTR	IP44	1	8 mm	120	120 degrees	9.6	12v
	3528 Single Die 60/MTR	IP44	1	5 mm	60	120 degrees	2.4	12v
5050 TRIPLE FLEXIBLE STRIP LEDES								
<input type="checkbox"/> COLD WHITE	5050 Triple Die 30/MTR	IP44	3	10 mm	30	120 degrees	7.2	12v
<input type="checkbox"/> DAYLIGHT WHITE	5050 Triple Die 30/MTR	IP65	3	10 mm	30	120 degrees	7.2	12v
<input type="checkbox"/> WARM WHITE	5050 Triple Die 30/MTR	IP68	3	10 mm	30	120 degrees	7.2	12v
<input type="checkbox"/> BLUE	5050 Triple Die 60/MTR	IP44	3	10 mm	60	120 degrees	14.4	12v
<input type="checkbox"/> RED	5050 Triple Die 60/MTR	IP65	3	10 mm	60	120 degrees	14.4	12v
<input type="checkbox"/> GREEN	5050 Triple Die 60/MTR	IP68	3	10 mm	60	120 degrees	14.4	12v
<input type="checkbox"/> YELLOW	5050 Triple Die 60/MTR	IP68	3	10 mm	60	120 degrees	14.4	12v
RGB COLOUR CHANGING FLEXIBLE STRIP LEDES								
	5050 RGB Colour Changing 30/MTR	IP44	3	10 mm	30	120 degrees	7.2	12v
	5050 RGB Colour Changing 30/MTR	IP65	3	10 mm	30	120 degrees	7.2	12v
	5050 RGB Colour Changing 30/MTR	IP68	3	10 mm	30	120 degrees	7.2	12v
	5050 RGB Colour Changing 60/MTR	IP44	3	10 mm	60	120 degrees	14.4	12v
	5050 RGB Colour Changing 60/MTR	IP65	3	10 mm	60	120 degrees	14.4	12v
	5050 RGB Colour Changing 60/MTR	IP68	3	10 mm	60	120 degrees	14.4	12v

View our full product range at
www.perspex.co.uk

GET IN TOUCH:

Blackburn

sales.blackburn@perspex.co.uk
+44 (0) 1254 272 800

Chelmsford

sales.chelmsford@perspex.co.uk
+44 (0) 1245 232 800

Tamworth

sales.tamworth@perspex.co.uk
+44 (0) 1827 263900

Weybridge

sales.weybridge@perspex.co.uk
+44 (0) 1932 356 900